

© Ascom 2009. All rights reserved.

TEMS is a trademark of Ascom. All other trademarks are the property of their respective holders.

No part of this document may be reproduced in any form without the written permission of the copyright holder.

The contents of this document are subject to revision without notice due to continued progress in methodology, design and manufacturing. Ascom shall have no liability for any error or damage of any kind resulting from the use of this document.

This document is not commercially binding.

Contents

- 1. About This Release.....1**
- 2. Installation1**
- 3. New Features.....1**
 - 3.1. New Features in TEMS Pocket 7.2..... 1
 - 3.2. New Features in TEMS Pocket 7.2.12
 - 3.3. New Features in TEMS Pocket 7.2.22
 - 3.4. Removed Features in TEMS Pocket 7.2, 7.2.1 or 7.2.2.....2
- 4. Corrected Bugs3**
- 5. Known Bugs and Limitations3**
- 6. Contact Information.....3**

1. About This Release

The information in this document describes the TEMS Pocket 7.2 release for the Sony Ericsson W995 phone. The document covers the product packages of TEMS Pocket Classic and TEMS Pocket Professional.

For further information about the product, see the TEMS Pocket 7.2 Technical Product Description.

2. Installation

The TEMS Pocket 7.2 software is pre-installed on the handset. The User's Manual is also pre-installed and can be found on the phone's memory stick.

Drivers for the TEMS Pocket 7.2 phone should be installed as described in the documentation accompanying the phone.

3. New Features

3.1. New Features in TEMS Pocket 7.2

- New TEMS Pocket phone: Sony Ericsson W995
 - WCDMA/HSDPA 900/2100 MHz
 - GSM/GPRS/EDGE 850/900/1800/1900 MHz
- New TEMS Pocket phone: Sony Ericsson W995a
 - WCDMA/HSDPA 850/1900/2100 MHz
 - GSM/GPRS/EDGE 850/900/1800/1900 MHz
- New TEMS Pocket phone: Sony Ericsson W995 EDGE
 - GSM/GPRS/EDGE 850/900/1800/1900 MHz
- New data view for presentation of HSPA network information.

3.2. New Features in TEMS Pocket 7.2.1

- Two new packages:
 - TEMS Pocket Premium.
 - TEMS Pocket Remote.
- Both of these packages include the function disable upload and command sequence on roaming.
- Both of these packages include the GSM AMR-WB vocoder support.
- AMR-WB Support
- Flexible command sequence
- HTTP and Streaming testing
- Upload via WiFi
- Support for WCDMA AMR, WCDMA AMR2 and WCDMA AMR WB vocoder in the Professional and Classic package.

3.3. New Features in TEMS Pocket 7.2.2

- Capability of scanning GSM and WCDMA networks.

3.4. Removed Features in TEMS Pocket 7.2, 7.2.1 or 7.2.2

None.

4. Corrected Bugs

The following bugs have been corrected in TEMS Pocket 7.2, 7.2.1 and 7.2.2:

- Improved access time to some menus.
- Immediate redial feature for command sequence in TEMS Pocket does not work at dropped call.
- If log-file upload is canceled during log-file compression the log-file upload will stop working. This can be solved by setting Pocket to inactive and then setting Pocket to activate/background mode.

5. Known Bugs and Limitations

The following bugs and limitations are known to remain in TEMS Pocket 7.2:

- Control settings are cleared when entering replay mode and are not restored after exiting replay mode.
- Events are not displayed correctly in the graph view during log-file replay.
- Parameter values presented in data views are sometimes not exactly the same for two consecutive local replays of the same log-file.
- WiFi upload does not stop when you manually disconnect the WiFi connection.
- Loading a very complex HTTP page with HTTP-proxy enabled can cause the UE to reboot.

6. Contact Information

For customer support contact information, please visit our website: www.tems.com